## LISTING OF THE CLAIMS

## 1-75. (Canceled)

- 76. (Previously presented) A method of treating fibromyalgia syndrome (FMS) and/or physiological symptoms associated therewith in an animal subject suffering from FMS, comprising administering to said animal subject, an effective amount for treating FMS of milnacipran, or a pharmaceutically acceptable salt thereof, in combination with a compound that is not phenylalanine, tyrosine and/or tryptophan.
- 77. (Previously presented) The method of claim 76, wherein the milnacipran is administered in combination with an antidepressant, analgesic, muscle relaxant, anorectic, stimulant, antiepileptic drug, sedative, or hypnotic.
- 78. (Previously presented) The method of claim 76, wherein the milnacipran is administered in combination with neurontin, pregabalin, pramipexole, l-DOPA, amphetamine, tizanidine, clonidine, tramadol, morphine, codeine, carbamazepine, sibutramine, valium, or trazodone.
- 79. (Previously presented) The method of claim 76, wherein the animal is a human.
- 80. (Previously presented) The method of claim 76, wherein the amount administered is from about 25 mg to about 400 mg per day.
- 81. (Previously presented) The method according to claim 76, wherein milnacipran is formulated in a sustained release dosage formulation.
- 82. (Currently amended) A method of treating pain in an animal subject suffering from pain, comprising administering to said animal subject, an effective amount for treating pain of milnacipran, or a pharmaceutically acceptable salt thereof, in combination with a compound that is not phenylalanine, tyrosine and/or tryptophan an analgesic, muscle relaxant, anorectic, stimulant, antiepileptic drug, or hypnotic.
- 83. (Canceled)

- 84. (Currently amended) The method of claim 82, wherein milnacipran is administered A method of treating pain in an animal subject suffering from pain, comprising administering to said animal subject, an effective amount for treating pain of milnacipran, or a pharmaceutically acceptable salt thereof, in combination with neurontin, pregabalin, pramipexole, l-DOPA, amphetamine, tizanidine, clonidine, tramadol, morphine, codeine, carbamazepine, sibutramine, valium, or trazodone.
- 85. (Previously presented) The method of claim 84, wherein the animal is a human.
- 86. (Previously presented) The method of claim 84, wherein the amount administered is from about 25 mg to about 400 mg per day.
- 87. (Previously presented) The method according to claim 84, wherein milnacipran is formulated in a sustained release dosage formulation.
- 88. (Currently amended) A method of treating chronic fatigue syndrome (CFS) and/or physiological symptoms associated therewith in an animal subject afflicted with CFS, comprising administering to said animal subject, an effective amount for treating CFS of milnacipran, or a pharmaceutically acceptable salt thereof, in combination with a compound that is not phenylalanine, tyrosine and/or tryptophan an analgesic, muscle relaxant, anorectic, stimulant, antiepileptic drug, or hypnotic.
- 89. (Canceled)
- 90. (Currently amended) The method of claim 88, wherein milnacipran is adjunctively administered A method of treating chronic fatigue syndrome (CFS) and/or physiological symptoms associated therewith in an animal subject afflicted with CFS, comprising administering to said animal subject, an effective amount for treating CFS of milnacipran, or a pharmaceutically acceptable salt thereof, in combination with neurontin, pregabalin, pramipexole, l-DOPA, amphetamine, tizanidine, clonidine, tramadol, morphine, codeine, carbamazepine, sibutramine, valium, or trazodone.

- 91. (Previously presented) The method of claim 88, wherein the animal is a human.
- 92. (Previously presented) The method of claim 88, wherein the amount administered is from about 25 mg to about 400 mg per day.
- 93. (Previously presented) The method according to claim 88, wherein milnacipran is formulated in a sustained release dosage formulation.